



**TYKMA – Lasers for Marking**

931 E. Water St.

Chillicothe, Ohio 45601

Phone:740-779-9918 Fax:740-779-9910 Toll Free:1-877-318-9562

email: sales@permanentmarking.com

<http://www.permanentmarking.com>

**Questionnaire-Technical Description of Marking**

**Date:** \_\_\_\_\_

**Company:** \_\_\_\_\_

**Contact Person:** \_\_\_\_\_

**Title:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**City, State, Zip:** \_\_\_\_\_

**Tel:** \_\_\_\_\_ **Fax:** \_\_\_\_\_ **Email:** \_\_\_\_\_

**Information About Your Product**

**Type of Product:** \_\_\_\_\_

**Shape:** \_\_\_\_\_ **Dimensions:** \_\_\_\_\_

**Material & Hardness:** \_\_\_\_\_ **Weight:** \_\_\_\_\_

**Surface Condition:**       Porous     Clean     Rough     Oily     Smooth

Dirty     Other \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**What system(s) are you interested in?**

Minilase     Zetalase     Vereo OEM     Custom/Build-to-Order

**Is depth of mark a concern or requirement?** \_\_\_\_\_



**TYKMA – Lasers for Marking**

931 E. Water St.

Chillicothe, Ohio 45601

Phone:740-779-9918 Fax:740-779-9910 Toll Free:1-877-318-9562

email: sales@permanentmarking.com

<http://www.permanentmarking.com>

**Should mark minimize surface penetration (laser can “anneal” some surfaces, making for an almost smooth finish)?** \_\_\_\_\_

**Roughly sketch where your marking(s) need to be located:**

**Pieces/hour** \_\_\_\_\_ **Yearly production quantity:** \_\_\_\_\_

**What happens to the product after marking?** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Sample:**    **Sending**     **Yes**     **No**    **No. of pieces:** \_\_\_\_\_



**TYKMA – Lasers for Marking**

931 E. Water St.

Chillicothe, Ohio 45601

Phone:740-779-9918 Fax:740-779-9910 Toll Free:1-877-318-9562

email: sales@permanentmarking.com

<http://www.permanentmarking.com>

**Description of the Marking:**

Black                       White                       Deep: \_\_\_\_\_

Size of total marking area: \_\_\_\_\_

Text: \_\_\_\_\_

Character Height: \_\_\_\_\_

Logo – Dimensions \_\_\_\_\_

Barcode – Type: \_\_\_\_\_

Continuous Numbering \_\_\_\_\_

Date: \_\_\_\_\_

How often does the marking change? \_\_\_\_\_

Position of marking on product: \_\_\_\_\_

Accessibility of marking area: \_\_\_\_\_

Direction of marking on round parts:     Axial     Radial: \_\_\_\_\_ degrees

Is sample of image enclosed?                       Yes                       No

**Marking Procedures:**

Available Marking Time per Piece: \_\_\_\_\_ sec

Handling:     Manual                       Semi Automatic                       Fully Automatic